

46581 (1,5-cicloottadiene) iridio (I) 2,4-pentanedionate

46714 Alluminio magnesio garza, lega 5056, 16 mesh tessuta da 0,24 millimetri (0.0095in) filo dia

46579 Alluminio magnesio garza, lega 5056, 20 maglia tessuta da 0,23 millimetri (0.009in) filo dia

40906 Alluminio magnesio garza, lega 5056, 30 mesh tessuta da 0,23 millimetri (0.009in) filo dia

45143 garza ottone, lega 260, 20 rete tessuta da 0,41 millimetri (0.016in) filo dia

45165 Ottone garza, lega 260, 40 maglia tessuta da 0,25 millimetri (0.01in) filo dia

45187 garza ottone, lega 260, 80 rete tessuta da 0,14 millimetri (0.0055in) filo diametro; Cu: Zn; 70:30% in peso

45188 garza bronzo, lega 220, 100 rete tessuta da 0,11 millimetri (0.0045in) in filo dia

45145 Bronzo garza, lega 220, 150 maglia tessuta da 0,066 millimetri (0.0026in) in filo dia

45223 Bronzo garza, lega 220, 200 maglia tessuta da 0,053 millimetri (0.0021in) in filo dia

45144 garza bronzo, lega 220, 20 rete tessuta da 0,41 millimetri (0.016in) in filo dia

45166 Bronzo garza, lega 220, 40 maglia tessuta da 0,25 millimetri (0.01in) in filo dia

45230 garza bronzo, lega 220, 60 mesh tessuta da 0,19 millimetri (0.0075in) in filo dia

45209 garza bronzo, lega 220, 80 rete tessuta da 0,14 millimetri (0.0055in) in filo dia

46415 Falegname 20® garza, 100 mesh tessuta da 0,1 millimetri (0.004in) filo dia

46526 Falegname 20 garza, 12 maglia tessuta da 0,58 millimetri (0.023in) filo dia

46740 Falegname 20® garza, 24 maglia tessuta da 0,36 millimetri (0.014in) filo dia

46339 Falegname 20® garza, 40 maglia tessuta da 0,25 millimetri (0.01in) filo dia

45186 garza rame, 100 mesh tessuta da 0,11 millimetri (0.0045in) filo dia

46515 garza rame, 10 mesh tessuta da 0,15 millimetri (0.006in) filo dia

46603 garza rame, 140 maglia tessuta da 0,056 millimetri (0.0022in) filo dia

42777 garza rame, 20 maglia tessuta da 0,41 millimetri (0.016in) filo dia

46834 garza rame, 30 mesh tessuta da 0,15 millimetri (0.006in) filo dia

40907 garza rame, 40 mesh tessuta da 0,056 millimetri (0.0022in) filo dia

39713 garza rame, 50 mesh tessuta da 0,23 millimetri (0.009in) filo dia

45142 garza rame, 60 mesh tessuta da 0,19 millimetri (0.0075in) filo dia

45164 garza rame, 80 mesh tessuta da 0,14 millimetri (0.0055in) filo dia

46416 Duplex 2209, 20 maglia tessuta da 0.3mm (0,012 millimetri) filo dia

46504 Duplex 2209, 40 mesh tessuta da 0.2mm (0,008 millimetri) filo dia

46525 Duplex 2209, 60 mesh tessuta da 0,15 millimetri (0,006 millimetri) filo dia

40931 Garza d'oro, 100 rete tessuta da fili 0,064 millimetri (0.0025in) dia, 99,99% (base metalli)

40930 Garza d'oro, 52 in tessuto a rete di filo 0,102 millimetri (0.004in) dia, 99,99% (base metalli)

40586 Garza d'oro, 82 rete tessuta da 0,06 millimetri (0.0025in) filo diametro, 99,9% (base metalli)

40940 Hastelloy C® garza, 100 mesh tessuta da 0,102 millimetri (0.004in) filo dia

46563 Hastelloy C® garza, 10 mesh tessuta da 0,64 millimetri (0.025in) filo dia

40938 Hastelloy C® garza, 20 maglia tessuta da 0,23 millimetri (0.009in) filo dia

46690 Hastelloy C® garza, 40 mesh tessuta da 0,19 millimetri (0.0075in) filo dia

40939 Hastelloy C® garza, 60 mesh tessuta da 0,112 millimetri (0.0044in) filo dia

46815 Hastelloy C® garza, 80 mesh tessuta da 0,1 millimetri (0.004in) filo dia

46610 Haynes® 25 garza, 100 mesh tessuta da 0,076 millimetri (0.003in) filo dia

46645 Haynes® 25 garza, 20 maglia tessuta di 0.13mm (0.005in) filo dia

46892 Haynes® 25 garza, 30 maglia tessuta da 0,28 millimetri (0.011in) filo dia

45069 Inconel® 600 garza, 100 mesh tessuta da 0,102 millimetri (0.004in) filo dia

46453 Inconel® 600 garza, 10 rete tessuta da 0,64 millimetri (0.025in) filo dia

46791 Inconel® 600 garza, 200 rete tessuta da 0,05 millimetri (0.002in) filo dia

46510 Inconel® 600 garza, 20 rete tessuta da 0,41 millimetri (0.016in) filo dia

46745 Inconel® 600 garza, 40 maglia tessuta da 0,25 millimetri (0.01in) filo dia

40912 Molibdeno garza, 100 mesh tessuta da 0,0636 millimetri (0.0025in) filo dia

46494 Molibdeno garza, 10 mesh tessuta da 0,38 millimetri (0,015 millimetri) filo dia

42404 Molibdeno garza, 165 rete tessuta da 0,0509 millimetri (0.002in) filo diametro, tessuto spigato

40908 Molybdenum gauze, 20 mesh woven from 0.305mm (0.012in) dia wire

40909 Molybdenum gauze, 30 mesh woven from 0.204mm (0.008in) dia wire

42485 Molybdenum gauze, 35 mesh woven from 0.0509mm (0.002in) dia wire

46606 Molybdenum gauze, 40 mesh woven from 0.13mm (0.005in) dia wire

40911 Molybdenum gauze, 50 mesh woven from 0.0509mm (0.002in) dia wire

45063 Monel® 400 gauze, 100 mesh woven from 0.1mm (0.004in) dia wire

45064 Monel® 400 gauze, 200 mesh woven from 0.05mm (0.0021in) dia wire

45141 Monel® 400 gauze, 20 mesh woven from 0.41mm (0.016in) dia wire

45163 Monel® 400 gauze, 40 mesh woven from 0.25mm (0.01in) dia wire

45207 Monel® 400 gauze, 80 mesh woven from 0.14mm (0.0055in) dia wire

40941 Nickel Chromium gauze, 40 mesh woven from 0.25mm (0.01in) dia wire

44128 Nickel gauze, 100 mesh woven from 0.1mm (0.004in) dia wire

39704 Nickel gauze, 20 mesh woven from 0.18mm (0.007in) dia wire

39703 Nickel gauze, 40 mesh woven from 0.13mm (0.005in) dia wire

40914 Nickel gauze, 50 mesh woven from 0.05mm (0.002in) dia wire

45099 Nickel gauze, 60 mesh woven from 0.18mm (0.007in) wire

40916 Niobium gauze, 40 mesh woven from 0.178mm (0.007in) dia wire

44698 Palladium Nickel gauze, 50 mesh woven from 0.1578mm (0.0062in) dia wire

10282 Platinum gauze, 100 mesh woven from 0.0762mm (0.003in) dia wire, 99.9% (metals basis)

41814 Platinum gauze, 45 mesh woven from 0.198mm (0.0078in) dia wire, 99.9% (metals basis)

10283 Platinum gauze, 52 mesh woven from 0.1mm (0.004in) dia wire, 99.9% (metals basis)

46966 Platinum gauze, Unimesh N7433, expanded metal mesh, 0.34mm (0.013in) thick

40934 Platinum Iridium gauze, 150 mesh woven from 0.043mm (0.0017in) dia wire

12217 Platinum Rhodium gauze, 80 mesh woven from 0.076mm (0.003in) dia wire, 99.9% (metals basis)

12216 Platinum Rhodium Palladium gauze, 80 mesh woven from 0.076mm (0.003in) dia wire, 99.9% (metals basis)

44449 Silver gauze, 20 mesh woven from 0.356mm (0.014in) dia wire

40935 Silver gauze, 50 mesh woven from 0.0764mm (0.003in) dia wire

40936 Silver gauze, 80 mesh woven from 0.115mm (0.0045in) dia wire, 99.9% (metals basis)

46628 Stainless Steel gauze, 100 mesh woven from 0.025mm (0.001in) dia wire, Type 304

46703 Stainless Steel gauze, 100 mesh woven from 0.11mm (0.0045in) dia wire, Type 316

42010 Stainless Steel gauze, 150 mesh woven from 0.066mm (0.0026in) dia wire, Type 304

13476 Stainless Steel gauze, 200 mesh woven from 0.05mm (0.002in) dia wire, Type 304

45002 Stainless Steel gauze, 200 mesh woven from 0.05mm (0.002in) dia wire, Type 316

40943 Stainless Steel gauze, 20 mesh woven from 0.102mm (0.004in) dia wire, Type 316

40942 Stainless Steel gauze, 20 mesh woven from 0.382mm (0.015in) dia wire, Type 304

46715 Stainless Steel gauze, 325 mesh woven from 0.036mm (0.0014in) dia wire, Type 316

42012 Stainless Steel gauze, 400 mesh woven from 0.028mm (0.0011in) dia wire, twilled weave, Type 304

13478 Stainless Steel gauze, 40 mesh woven from 0.25mm (0.01in) dia wire, Type 304

45140 Stainless Steel gauze, 500 mesh woven from 0.02mm (0.0009in) dia wire, Type 304

13477 Stainless Steel gauze, 80 mesh woven from 0.127mm (0.005in) dia wire, Type 304

46574 Stainless Steel gauze, 80 mesh woven from 0.14mm (0.0055in) dia wire, Type 316

46695 Tantalum gauze, 100 mesh woven from 0.08mm (0.003in) dia wire, twilled weave

43965 Tantalum gauze, 30 mesh woven from 0.076mm (0.003in) dia wire

40928 Tantalum gauze, 50 mesh woven from 0.076mm (0.003in) dia wire

46720 Tantalum gauze, 80 mesh woven from 0.08mm (0.003in) dia wire

40918 Titanium gauze, 20 mesh woven from 0.076mm (0.003in) dia wire

40919 Titanium gauze, 30 mesh woven from 0.102mm (0.004in) dia wire

40920 Titanium gauze, 40 mesh woven from 0.127mm (0.005in) dia wire

40921 Titanium gauze, 50 mesh woven from 0.102mm (0.004in) dia wire

46828 Titanium gauze, 60 mesh woven from 0.2mm (0.009in) dia wire

46799 Titanium gauze, 80 mesh woven from 0.13mm (0.005in) dia wire

46406 Titanium gauze, 100 mesh woven from 0.05mm (0.002in) dia wire

40924 Tungsten gauze, 100 mesh woven from 0.0254mm (0.001in) dia wire

40925 Tungsten gauze, 100 mesh woven from 0.0509mm (0.002in) dia wire

40922 Tungsten gauze, 20 mesh woven from 0.127mm (0.005in) dia wire

40923 Tungsten gauze, 30 mesh woven from 0.1018mm (0.004in) dia wire

46412 Tungsten gauze, 40 mesh woven from 0.025mm (0.001in) dia wire

40926 Tungsten gauze, gold plated, 50 mesh woven from 0.025mm (0.001in) dia wire